

*Valentine*®  
+ SWISS MADE

# Table-top fryers TF



# Table-top fryers

## "TF-series"



### Quality and sustainability

100% stainless steel construction, robust and easy to clean.

1

### Stainless steel pan

Pan pressed from one piece of metal without welding and with rounded corners to allow easy cleaning and guarantee optimum hygiene.



### Drain valve

Front drain valve with screw cap for easy oil recovery.

3

### Three-part fryer

For greater safety and easy maintenance, the TF series is divided into 3 parts, the control unit, the pan and the chassis. The last two components can be washed in the dishwasher.



### Further features:

- Easy to operate; single control dial and LED indicator lights.
- Dialog system: maximum efficiency with clear operational indication.
- Cool zone under the heating element for waste recover and oil saving.
- Security thermostat with reset button.
- Supplied with lid.
- 20 years spare parts availability.



# Model TF3

## Professional quality in your own home!

### General information



#### Quality and sustainability

Entirely in stainless steel, robust and easy to clean. Components and finish of high quality to meet with the highest expectations.  
20 years spare parts availability!



**Easy to operate;** single control dial and LED indicator lights.



#### Three-part fryer

For greater safety and easy maintenance, the TF series is divided into 3 parts, the control unit, the pan and the chassis. The last two components can be washed in the dishwasher.



#### Further features:

- Robust and resilient basket design.
- Security thermostat with reset button.
- Supplied with lid.



### Options, to be ordered

Available to order  
for all models



Support table adapted  
to following models:  
TF7, TF55 and TF10.  
With G/N containers  
storage possibility.

# Table-top fryers

## The tailor-made solution



	<b>TF 3</b>	<b>TF 5</b>	<b>TF 55</b>	<b>TF 7</b>	<b>TF 7 Turbo</b>
<b>Tank (litres)</b>	2-3	5	2x5	7	7
<b>Dimensions (mm)</b>					
Width	200	210	420	280	280
Depth	390	410/450	410/450	410/450	410/450
Height	180/310	260/420	260/420	260/420	260/420
<b>Basket (mm)</b>					
Width	155	155	2x155	220	220
Depth	235	235	2x235	235	235
Height	105	105	2x105	105	105
<b>Net weight (kg)</b>	6	9	15	10	10
<b>Voltage (V)<sup>(1)</sup></b>	1N230V	2x400V	3x400V	2x400V	2x400V
<b>Kilowatts (kW)</b>	2,3 (CH) 3,0 (EU)	3,6	7,2	3,6	4,6
<b>Fuses (A)</b>	10 (CH) 13 (EU)	9	16	9	11,5
<b>Plug type</b>	Type 12 (CH) Schuko (EU)	Without plug	Without plug	Without plug	Without plug



	<b>TF 77</b>	<b>TF 77 Turbo</b>	<b>TF 10</b>	<b>TF 13</b>
<b>Tank (litres)</b>	2x7	2x7	10	13
<b>Dimensions (mm)</b>				
Width	560	560	370	550
Depth	410/450	410/450	410/450	410/450
Height	260/420	260/420	260/420	260/420
<b>Basket (mm)</b>				
Width	2x220	2x220	305	480
Depth	2x235	2x235	235	235
Height	2x105	2x105	105	105
<b>Net weight (kg)</b>	17	17	11	16
<b>Voltage (V)<sup>(1)</sup></b>	2x(2x400V)	2x(2x400V)	3N400V	3N400V
<b>Kilowatts (kW)</b>	2x3,6	2x4,6	6,9	6,9
<b>Fuses (A)</b>	2x9	2x11,5	10	10
<b>Plug type</b>	Without plug	Without plug	Without plug	Without plug

(1) Available as well in 1N230V (except TF10 + TF13).  
All changes reserved.